

बैंक ऑफ बड़ौदा, अंचल कार्यालय जयपुर राजस्थान राज्य की शाखाओं/ कार्यालयों के लिए बाहरी ग्लो साइन बोर्ड, साइन बोर्ड, फ्लेक्स, विनाइल की आपूर्ति और स्थापना तथा वार्षिक रखरखाव प्रस्ताव के लिए प्राप्त फ़र्मों से दो बोली प्रणाली के तहत मुहरबंद निविदाएँ आमंत्रित करने बाबत

Notice Inviting Applications for Empanelment of Vendor for Supply & Installation of External Glow Sign Boards, Flex, Vinyl & Annual Maintenance Proposal for Glow Sign Boards at Various Branches and Offices of Bank of Baroda, Jaipur Zone



बैंक ऑफ़ बड़ौदा *Bank of Baroda*



बैंक ऑफ़ बड़ौदा,
परिसर एवं उपकरण विभाग, अंचल कार्यालय,
बड़ौदा भवन,
प्लॉट नं 13, तृतीय तल,
एयरपोर्ट प्लाजा,
दुर्गापुरा, जयपुर- 302018

BANK OF BARODA
P&E DEPARTMENT, Zonal Office
BARODA BHAWAN
PLOT NO 13, 3rd FLOOR, AIRPORT
PLAZA,
DURGAPURA, JAIPUR - 302018

NOTICE INVITING APPLICATIONS FOR EMPANELMENT OF VENDORS (2025-27)

Bank of Baroda, Zonal Office, Jaipur invites sealed applications from eligible firms in the prescribed format for empanelment of Vendors for Supply & Installation of New External Glow Sign Boards, Flex, Vinyl & Annual Maintenance Proposal for External Glow Sign Boards in Branches/Offices of the Bank in Jaipur Zone. The category for which empanelment is required are as under:

Type of work	Category for empanelment (Amount of work executed)
New External Glow Sign Boards, Flex, Vinyl & maintenance (if any) for External Glow Sign Boards	<p>Category A- Works ranging from Rs. 2.50 Lacs to Rs. 5.0 Lacs.</p> <p>Category B- Works ranging from Rs. 5.01 Lacs to Rs. 10.0 Lacs.</p> <p>Category C- Works ranging from Rs. 10.01 Lacs to Rs. 15.0 Lacs.</p>

Tender Documents may be downloaded from Bank's website under Tender section: <https://bankofbaroda.com/zonal-regional-offices-tenders.htm> . Bidders are requested to visit the Bank's website periodically for any update.

Download Tender document from web site only and attached with tender fee of Rs. 1,000/- by D.D. in favour of Bank of Baroda payable at Jaipur, without the above fee, tender document shall be rejected.

The tenders may be submitted in the following manner:

Envelope No. 1 Tender Fee:

	Favoring	Amount (Rs.)	DD/Banker's payable at	Cheque
Tender fee (Non Refundable)	Bank of Baroda	1,000/-	Jaipur	

2. The Tenderer must also submit the Mandatory Information strictly in Bank's prescribed Proforma. Technical Pre-qualification of the tenderer will be based on the Mandatory Information and supporting documents submitted along with the tender documents, as well as Bank's scrutiny of the same and/or inspection of works carried out by the Tenderer. Bank reserves the right to accept or reject any tender without assigning any reason whatsoever.

Envelope No. 2 (Technical Bid):

- Mandatory Information (strictly in the Bank's prescribed Proforma)
- **Other supporting documents & credentials of the tenderer.**

Tender Bids received in any form other than mentioned above will be disqualified. Sealed tenders in the prescribed tender form, with the tender fees, along with the Mandatory Information etc. (Envelope 1 and 2), should be addressed to **The General Manager, Bank of Baroda, Baroda Bhawan, Plot No 13, Airport Plaza, Durgapura, Tonk Road, Jaipur-302018** and super scribed " Empanelment of Vendor for Supply & Installation of New External Glow Sign Boards, Flex, Vinyl & Annual Maintenance Proposal for External Glow Sign Boards at Jaipur Zone.

Eligibility Criteria:-

Bidders Signature with Company Seal

Category A – Works ranging from Rs. 2.50 Lacs to Rs. 5.0 Lacs:–

- Three similar* completed works each costing not less than Rs. 1.5 lacs each or
- Two similar* completed works each costing not less than Rs.1.875 lacs each or
- One similar* completed works each costing not less than Rs.3.0 lacs each
- Average Annual financial turnover of the firm during the last –03- years, ending, 31st March 2024, should be at least Rs. 1.50 lacs.

Category B – Works ranging from Rs. 5.01 Lacs to Rs. 10.0 Lacs:-

- Three similar* completed works each costing not less than Rs. 3.0 lacs each or
- Two similar* completed works each costing not less than Rs.3.75 lacs each or
- One similar* completed works each costing not less than Rs.6.0 lacs each
- Average Annual financial turnover of the firm during the last –03- years, ending, 31st March 2021, should be at least Rs. 2.25 Lacs.

Category C – Works ranging from Rs.10.01 Lacs to Rs. 15.0 Lacs:-

- Three similar* completed works each costing not less than Rs.5.0 lacs each or
- Two similar* completed works each costing not less than Rs.6.25 lacs each or
- One similar* completed works each costing not less than Rs.10.00 lacs each
- Average Annual financial turnover of the firm during the last –03- years, ending, 31st March 2021, should be at least Rs. 3.75 Lacs.

Note: Work of lower value/lower category may be assigned to agency empanelled in higher category . Mere empanelment means not the right of vendor for getting any work from the Bank. This exercise is for listing the technically qualified bidders only. Work order for any work shall be assigned separately by the Bank as per requirement and following Bank's extent guidelines.

The Vendor should submit Performance Certificate from the previous employer in support of executing similar works failing which the tender shall not be considered.

Similar work means New External Glow Sign Boards, Flex, Vinyl & External Glow Sign Boards works of same nature /magnitude carried out for Govt/Public/Private Sector Organizations, private sector banks, public sector financial institutions.

Bidder should have their office / branch office in Rajasthan.

Tenderer /Bidder should have main activity as Contractor ship otherwise tender shall be rejected .Tender/Bidder should also to submit their Pan, (Tin and Service Tax)/GST Registration No. and also submit documentation for the same.

The bidders should be either original manufacturers (OEM) of flex and vinyl used in signages or their authorised dealers or established converters of the signages, flex and Vinyl. The Bidder to submit proof in this regard. Joint Venture establishment is **not allowed** to participate in this RFP nor considered their credentials for evaluation.

Bidder shall have to furnish a certificate (from original manufacturer) that the flex, vinyl and LED/lightings that will be used in the boards will meet the stipulated specifications as furnished in this bid document. In addition, bidder shall also have to furnish a **five years warranty** (as detailed in the Technical Specifications in this document) from the original manufacturer for the flex and vinyl that will be used in the signages and also for the entire sign boards.

Authorization letter from principle manufacturer of facia materials (i.e.Flex and Vinyl) and LED in OEM's prescribed Performa.

In addition to above, the criteria regarding satisfactory performance of works, personnel, establishment, detail of infrastructure, equipment etc. may be incorporated in the Technical bid.

Sealed Tender must be dropped in a tender Box placed at "Bank of Baroda, Baroda Bhawan, Plot No 13, Airport Plaza, Durgapura, Tonk Road, Jaipur-302018" **not later than 3p.m. on 13.01.2025.**

Tender should be addressed to

**The General Manager
Bank of Baroda
Baroda Bhawan,
Plot No 13, Airport Plaza,
Durgapura, Tonk Road,
Jaipur-302018**

Bank reserves the right to reject any/ all application/s without assigning any reasons thereof.

Important dates

Date of Commencement of tender	22.12.2024
Last date and time for submission of Bids	13.01.2025 till 03:00 p.m.
Date and time of opening of the bids	13.01.2025 at 04:30 p.m.

1. **Aims & Objectives:** The objective of the proposal is to seek professional offers for supply & Installation of New External Glow Sign Boards having LED lights for illumination. Supply of standard Printed Flex, Printed Vinyl & maintenance work for existing and new External Glow Sign Boards at Branches and Offices of Bank of Baroda Jaipur Zone.
2. **Venue & Deadline for submission of proposal:** Proposal, in its complete form in all respects as specified in the EOI, must be submitted to Bank of Baroda at the address specified herein earlier
3. **Validity of Offer:** The offer for EOI as per this document shall be valid for a period of three (4) months initially which may be extended further if required by Bank of Baroda.
4. **Instructions to Bidders :** The Expression of Interest is to be submitted in the manner prescribed below:-
All information as detailed below is to be submitted in hard copies in sealed envelopes:-
 - Applicant's Expression of Interest as per Format-1.
 - Organizational Contact Details as per Format-2.
 - Experience of the organization as per Format-3.
 - Financial strength of the company as per Format-4
 - Technical Specification and Proposal
 - Any other Supporting Document
 - Bidder must have its office in Rajasthan.
5. **Response:** Bidders must ensure that their Bid response is submitted as per the formats attached with this document. Special comments on the objectives and scope

of the service projected in the enquiry may also be submitted along with the offer, photographs of previous installation along with company.

- 6. Conflict of Interest:** Where there is any indication that a conflict of interest exists or may arise, it shall be the responsibility of the Bidder to inform Bank of Baroda, detailing the conflict in writing as an attachment to this Bid.

Bank of Baroda will be the final arbiter in cases of potential conflicts of interest. Failure to notify Bank of Baroda of any potential conflict of interest will invalidate any verbal or written agreement.

A Conflict of Interest is where a person who is involved in the procurement has or may be perceived to have a personal interest in ensuring that a particular Bidder is successful. Actual and potential conflicts of interest must be declared by a person involved in a Bid process.

GENERAL CONDITIONS OF CONTRACT:

1. The bidder shall have necessary infrastructure such as plotter cutter, welding and riveting machine, professional fabricators and electricians necessary to undertake the work.
2. Bank at its discretion may get the testing of material used for providing the signage done by any Government Testing Centre / National Test House/IITs/NABL certified lab etc.. The bidder entrusted with the work shall provide to the branch/office samples of flex and vinyl (of size 60 cm x 60 cm for flex and for each colour of vinyl for each branch) for the purpose of testing to verify whether the flex and vinyl are conforming to the physical/technical properties prescribed in the bid document. Samples of such material shall be out of the materials actually put to use in the signage. The seal and signature of the contractor shall be affixed at bottom left corner of the sample. The bidder while quoting the rates shall take into account this requirement and quote the rates accordingly. No separate charges will be paid for providing such samples. If the sample fails to satisfy the specifications, no payment will be made to the vendor towards the cost of such works carried out.
3. Signage converter or contractor shall be liable to pay penalty @ 1 % per week of the contract amount or part thereof for delay in not adhering to the time schedules.
4. The bidder shall provide and ensure everything necessary for the proper execution of work according to the intent and meaning of the drawings, schedule of quantities and specifications taken together whether the same may or may not be particularly shown or fully described therein provided that the same can be reasonably inferred there from and if the bidder finds any discrepancies therein he shall immediately and in writing, refer the same to the Employer whose decision shall be final and binding.
5. Any authorized representative of the Employer/Bank shall at reasonable times have free access to the works and/or to the workshops, factories or other places where the signages are being manufactured. Such inspection may be carried out even after the signages are installed. Bank also will have the right to get a technical audit and inspection carried out through external agencies like the Central Vigilance Commission. The contractor/ the supplier shall give all reasonable facilities and make all arrangements for carrying out such inspections. During such inspection, the quantity and quality of the signages may be checked to ensure compliance with the specifications laid down. Samples of materials used for the work is to be given at each branch / office for testing. The supplier shall give every facility to the Bank or their authorized representatives necessary for inspection, examination and testing the quality and quantity of materials and workmanship.
6. As a result of the inspections conducted by the Bank or inspecting officials, internal or external agencies like CTE of CVC if it is found that the work is not being or has not been carried out in accordance with the specifications and these conditions, such lots shall be liable to be rejected even if they were accepted or paid earlier. However, at the discretion of the Bank, the supplier may be permitted to re-do the improper work and rectify the defects and deficiencies at his own cost. On account of such permission to re-do the work, the supplier is not entitled to claim for extension of time or waiver of penalty or any compensation or relief whatsoever.
7. If as a result of any such inspections any overpayment is detected, the Bank shall be at liberty to recover the amount overpaid from any money that may have become or that will become due to the supplier or from the Performance Guarantee, notwithstanding any certification given or payment made already.
8. The Bank reserves the right to get the samples of flex, vinyl, LED and box materials tested from independent testing agencies and their test results shall be binding. The bidders should submit samples of flex, vinyl, box materials and LED as detailed in clause 7 of General Conditions of Contract.
9. The specification of materials like flex, vinyl LED and other fabrication material shall be as per the bid and tolerance as detailed in the Technical Specification. Any variations beyond tolerance, if accepted by bank are liable for cost adjustments and the decision of

- the Bank shall be final and binding on the bidder/supplier as to the amount to be recovered.
10. On completion of the work at the site, the signage providers / their converters shall remove all the materials, tools, equipments and ensure the surroundings are clean and any debris, unwanted, unused materials are cleared from the site and disposed suitably. Any cost incurred by the bank for non compliance of the above shall be recovered from the payments.
 11. Payment will be made after satisfactory completion of work. The signage provider on completion of work should submit his bill in duplicate once in 15 days to the respective Regional Office along with a confirmation from the branch / office for having completed the works and copy of insurance certificate. The bill shall be accompanied by 5 year warranty certificate for flex, vinyl materials and LED by the original manufacturer. A similar certificate for the entire signage including box structure shall be submitted by the signage provider in case of new signages. Applicable Tax deduction at source (TDS), if any, as per relevant provisions of Finance Act from time to time and Works Contract Tax, if applicable, will be deducted at the time of releasing the payments. Bill payment will be made at RO level within a period of 30 days from the date of receipt of bill along with required documents mentioned in the bid.
 12. The Bank at its option without prejudice to its rights under the Contract.
 13. The contractor should provide an unconditional warranty for the complete signage for a period of 5 Years from the date of completion, covering not only the basic materials (including flex, vinyl, electrical fittings with LED lights and its Drivers for which the warranty shall be for five year, however which do not come with a warranty from the original manufacturer itself need not be covered under warranty) used for the manufacture of the signage and also the fabrication and erection.
 14. The flex and Vinyl should be warranted by the original manufacturer for a period of five years from the date of completion against yellowing / graying of flex, plasticizer migration, wicking of flex, fungus or mildew formation, vinyl peel-off, fading, shrinkage, cracking and crazing. The warranty should be applicable for all Indian weather and dust conditions without any sub clauses for high Traffic areas / high Pollution areas / high temperature areas. This warranty for the flex and vinyl shall be made available from the original manufacturer of flex and vinyl. Documentary proof by way of original letter of undertaking addressed to the Bank by the principal/principal manufacturer shall be submitted along with the document and also a certificate that the flex and the vinyl used in the board meets the stipulated specifications as furnished in the bid/RFP document. If any defects or deficiencies are noticed in the Flex and Vinyl, LED lights, Drivers during the warranty period, the entire fascia of the signboard LED and drivers will have to be replaced with a new one. All expenses in this connection will have to be borne by the bidder.
 15. Invoice, all warranty certificates, measurement details, and other documents to be submitted to respective Branch Office Head after completion of installations.

Signature of the Bidder (With Seal)

TECHNICAL SPECIFICATIONS

Materials:

- **Flex Material or Fascia Substrate**

Flex material is the base material on which the sign fascia will be pasted. The technical specifications of the flex material are given in **Annexure I**. In general, the flex of popular make like **3M/Avery Dennison/LG Hausys** is recommended to be used as the base material for longer life. Materials should be warranted by the principal original manufacturer for a period of 60 months.

Online E-Warranty should be provided by the principal original manufacturer of the flexible substrate.

Details of suggested material of flex:

Brand name	3M	Avery Dennison	LG Hausys
Flex material	Panagraphics III	Avery flex 1	Lucky flex 2

- **Vinyl Material of Fascia**

Vinyl material or fascia refers to the Vermilion colored self-adhesive vinyl, which gets pasted on the flexible material mentioned above. The technical specifications of the vinyl material are given in **Annexure II**. In general, vinyl material of popular make like **3M/Avery Dennison/LG Hausys** is recommended. Vinyl materials should be warranted by the manufacturer for a period of 60 months. Online E-Warranty should be provided by the principal original manufacturer of the vinyl.

Bank's pantone colour reference is 1655C

Details of suggested material of vinyl:

Brand name	3M	Avery Dennison	LG Hausys
material	3630-44	QM 5517	LA 9944

- **Sign Cabinet**

Sign cabinet refers to the box on which the flex and the vinyl materials are mounted. This includes electrical fittings, timer, metal frame, side panels, drip cap, etc. Detailed guidelines on fabrication of the sign cabinet is available in **Annexure III**, which needs to be followed by the signage converter.

**Annexure I –
Flex Material**

Brand's Flex material with the following specifications having warranty of 60 months		
Physical Properties		
Property	English Units	Metric Units
Service Temperature Range	-22°F to +158°F	-30°C to +70°C
Light Transmission	23%+/- 3%	23% +/- 3%
Tensile Strength		
Tear Weft	20 pounds/inch	90N
Tear Warp	30 pounds/inch	135N
Tensile Weft	Min 100 pounds/inch	Min 440N/25mm
Tensile Warp	Min 100 pounds/inch	Min 440N/25mm
Weight	Min 19 ounces/sq. yd	MIN650 grams/meter square
Characteristics		
Substrate	White-pigmented vinyl with a polyester scrim	
Thickness	20-24 mil (0.51 to 0.60 mm)	

Annexure II – Vinyl Material

Physical Properties		
Property	English Units	Metric Units
Service Temperature Range	-50°F to +170°F	-45°C to +77°C
Adhesion Characteristics		
Property	English Units	Metric Units
Adhesion (acrylic and uncoated, clear polycarbonate)	4.0 pounds/inch	0.7 kg/cm
Characteristics		
Characteristics	Description	
Film	2 mil, translucent vinyl	
Thickness (With Adhesive)	3 – 4 mil (0.08 to 0.1 mm)	
Adhesive Type & Color	Pressure Sensitive, Clear	
Liner	Translucent, Synthetic/ Paper liner	
Application Surfaces	Flat, without rivets	
Minimum Application Temperature	60°F 16°C air, film, substrate	
Removal	Permanent	

Annexure III – Sign Cabinet

- i. 7” Deep GI Box of size approved by the branch as per the site conditions.
- ii. 24 Gauge Pre-coated GI sheet for Top, Bottom and side panels.
- iii. 26 Gauge single-coated GI sheet as back panel to get better reflection.
- iv. 1”×1” (25mm×25mm approx.) Square MS pipe of 18 Gauge double frames painted with white enamel paint over a coat of anti-rust coating welded together as per approved drawing.
- v. 1”×1” (25mm×25mm approx.) Aluminum angle for edge to edge illumination.
- vi. 1”×1” (25mm×25mm approx.) Square pipe of 22 Gauge MS Stiffeners at top and bottom of every vertical MS Pipe members to prevent deformation of the structure due to flex tensioning.
- vii. Minimum 25mm machine molded drip cap at top of box. viii. The Bottom Panel known as access panel should be fixed with screws. ix. All joints to be filled with silicon to prevent water from dripping inside the box. x. Access door for maintenance of Power Supply and LEDs.

Specifications of Electrical Components -

Specifications for LED Module		
Sr.No.	Parameters	Suggested make list
1	Make of LED module	OSRAM / CREE / GE/NICHIA
2	Colour CCT	6500 Kelvin(K)
3	Certifications of LED Chip	LM80
4	Beam Angle	150 Degree or more (Angle of Irradiation)
5	Watt/Module	0.70-0.72 W
6	System efficacy (Lm/W)	>95 Lm/W or 70 Lumens per Module
7	LED Module life	Min 50000 Burning Hrs
8	Chips Per Module	3 Chips/Module
9	Operating Voltage for LED Modules	12V DC
10	No. of Modules per Sq. Ft.	4 Modules per Sq. Ft.
11	CRI (Colour Rendering Index)	70 or more
12	Protection Class	Min IP66
13	Certifications & Standards for Modules	LM79
Specifications for LED Driver (Power Supply)		
Sr.No.	Parameters	Suggested make list
1	LED Driver (Power Supply)	OEM's make of LED Modules
2	Driver Wattage (W)	30W - 350W
3	Surge protection (in KV inbuilt)	Inbuilt Min 6KV (Line to ground)
4	Supply voltage for drivers	90V to 300V

5	Power Factor (at 230V ± 10°C)	> 0.90
6	Protection Class	IP67
7	Over Temperature	Auto Recovery
8	Short-Circuit Shutdown Feature With Automatic Restart	Auto Recovery
9	Over Voltage Protection	Shut down and auto-restart
10	Standards for LED Driver	BIS

LED Modules and LED Driver (power supply) should be from the same Principal original manufacturer.

Warranty certificates

Converters should submit 5 Years of Online warranty Certificate on LED modules and Drivers (power supply) issued by Principal original manufacturer.

Signature of the Bidder/Contractor (With Seal)

FORMAT – 1

APPLICANT'S EXPRESSION OF INTEREST

To,
General Manager,
Bank of Baroda, Baroda Bhawan
Jaipur Zone, Plot No. 13, Airport Plaza
Durgapura, Jaipur-302018

Sub: Submission of Expression of Interest for Supply & Installation of New External Glow Sign Boards.

Dear Sir,

In response to the Invitation for Expressions of Interest (EOI) published on 21.01.2024 for the above purpose, we would like to express interest to carry out the above proposed task. As instructed, we attach following documents in sealed envelopes.

1. Organizational Details (Format-2)
2. Experience in related fields (Format-3)
3. Financial strength of the organization (Format-4)
4. Technical Specification along with presentation
5. Supporting Documents (If any)

Sincerely Yours,

Signature of the applicant

[Full name of applicant]

Stamp.....

Date:

Encl.: As above.

Note: This is to be furnished on the letter head of the organization.

FORMAT – 2

S. No	Organizational Contact Details	
1.	Name of Organization	
2.	Main areas of business	
3.	Type of Organization Firm/ Company/ partnership firm registered under the Indian Companies Act, 1956/ the partnership Act, 1932	
4.	Whether the firm has been blacklisted by any Central Govt. / State Govt./PSU/ Govt. Bodies / Autonomous? If yes, details thereof.	
5.	Address of registered office with telephone no. & fax	
6.	Address of offices In Rajasthan	
7.	Contact Person with telephone no. & e-mail ID	

Signature of the applicant
Full name of the applicant
Stamp & Date

FORMAT – 3

Experience in Related Fields				
Overview of the past experience of the Organization in all aspects related to Brand Building Related				
S. No	Items	Number of Assignments during last 5 years	Order Value of each assignment in Lakhs of Rs. (Enclose copy of each order)	Mention the name of Client/ Organization
1	Experience of assignments of similar nature			
1.1	Experience in carrying out similar assignments in Government/S U/Financial Institutions			
1.2	Experience in carrying out Similar assignments in Private organization of repute.			

Signature of the applicant
Full name of applicant

Stamp & Date

FORMAT – 4

Financial Strength of the Organization					
S. No	Financial Year	Whether profitable Yes/NO	Annual net profit (in Lacs of Rs.)	Overall annual turnover (in Lacs of Rs.)	Annual turnover (in Lacs of Rs.)
1	2021-22				
2	2022-23				
3	2023-24				

Note: Please enclose Chartered Accountant's/auditor's certificate in support of your claim.

Signature of the applicant

Full name of applicant

Stamp & Date

Attach With Forwarding Letter for Tender- "Empanelment of Vendors for Supply & Installation of New External Glow Sign Boards, Flex, Vinyl & Annual Maintenance Proposal for External Glow Sign Boards" for Bank of Baroda Jaipur Zone

Basic information

1	Applied Category	Category- A Category- B Category- C
2	Name of the Applicant/Organization	
3	Type of the Organization (whether Sole Proprietorship, Partnership, Private Ltd or Ltd. Co. etc.)	
4	Name of the Proprietor /Partners/Directors of the Organization/Firm	1. 2. 3.

5	Address of the Registered Office (with Phone Numbers, Mobile Number, & e-Mail ID)		
6	Year of establishment		
7	Number of years of experience in the field (attach work experience certificate)		
8	PAN Number		
9	GST Number		
10	Last 5 years turnover of the organization.	FY	Total T/O
		2022-23	
		2023-24	
		2024-25	
12	Present empanelment with Central Govt. / State Govt./PSU/ Govt. Bodies / Autonomous Bodies	1. 2. 3.	
13	Whether Blacklisted/De-registered/Debarred by any Central Govt./State Govt./PSU/ Govt. Bodies / Autonomous Bodies /IBA? If yes, Please furnish details.	Yes/No	
14	Whether any relative in Bank of Baroda? If yes, Please furnish details.	Yes/No	

I/We certify that all the details furnished above are true and correct to the best of my knowledge and belief. I understand that in case of furnishing of any false information or suppression of any material information, the application shall be liable for rejection besides initiation of penal proceedings by the Bank, if it deems fit.

Signature and Seal of the Applicant

Place:

Date

UNDERTAKING REGARDING BLACKLISTING/ NON-DEBARMENT

To,
The General Manager
Bank of Baroda,
Baroda Bhawan, Plot No. 13,
Airport Plaza, Durgapura,
Tonk Road, Jaipur-302018

Re: Empanelment of Vendors for Supply & Installation of New External Glow Sign Boards, Flex, Vinyl & Annual Maintenance Proposal for External Glow Sign Boards in Branches/Offices of the Bank in Jaipur

We hereby confirm and declare that I/we, <Name of the Company/Firm/agency/proprietorship>, is not blacklisted/De-registered/ Debarred by any Government department/Public Sector Undertaking/ Private sector/IBA or any other agency for which we have executed/ Undertaken the Works/Services in the past.

(Signature & Seal of the Applicant)

Name:

Place:

Date: