

REGIONAL OFFICE, JODHPUR

PART – I

TECHNICAL BID

SPECIFICATIONS & CONDITIONS OF CONTRACT FOR THE INTERIOR FURNISHING, **ELECTRICAL & AC WORK**

JAITARAN BRANCH, JODHPUR

Date of receipt of tenders: 19-02-2025 to 11-03-2025 (by 3pm)

Date of opening of tenders: 11-03-2025 at 3:30 pm

Submitted to :-

OFFICE OF THE DY. GENERAL MANAGER BANK OF BARODA, REGIONAL OFFICE JODHPUR

ARCHITECT

AR. REKHA NEMANI, C-40, DEV NAGAR, TONK ROAD, JAIPUR Mobile: + 91-7976969922, 9829012022 Email: niyojan c45@yahoo.in

Mandatory information required for Prequalification of the Bidder for Interior. Electrical works.

<u>Important:</u>

- <u>1.</u> Please type or handwrite in capital letters.
 2. Attach copies of the supporting documents.
 3. Please use additional sheets if required.

1. Name of the Bidder:	
2. email address:	
3. Telephone number office:	
4. Mobile No:	
5. Address 1 :	
City:	
Pin code:	
6. Year of Establishment (Minimum five years establishment):	
7. Field of activities:	
8. Main Activity:	
9. Status of the Firm : Prop / Partnership / Ltd./ Pu. Ltd.	
10 A. Name and address of the Bankers – 1	
B. Name and address of the Bankers – 2	
C. Name and address of the Bankers – 3	
11. Names of the directors/Partners/proprietor	
12. Registration number and date with Registrar of Companies/Firms	
13. Registration No of 'A' Class Electrical Contractor (May be associated):	
14. GST Number:	
15. PAN Card Number 16. VALID Electrical license of firm	

Attach Copy

17. Request copies of the 3 years' Balance sheet:

18. Current solvency certificate from your Banker for not less than Rs. Five Lacs:

19. Empanelment with the other Companies/PSUs

20. Experience of having successfully completed similar works during last 7 years ending last day of month previous to the one in which applications are invited should be either of the-

A] Three similar completed works costing not less than the amount equal to 40% (i.e.7,20,000/-) of the estimated cost without G.S.T. amount.

Or B] Two similar completed works costing not less than the amount equal to 50% (i.e. 8,90,000/-) of the estimated cost without g.s.t. amount.

Or

C] One similar completed work costing not less than the amount equal to 80% (i.e. 14,24,000/-) of the estimated cost without g.s.t. amount.

21. Financial status: Annual average turnover of last three financial years should be minimum 30% of estimated cost of the proposed project.

- 22. Details of EMD Attached:
- 23. List Number of Technical staff working in the organization:
- 24. List number of other staff working in the organization:
- 25. Have you in past carried out any works for Bank of Baroda or its subsidiaries:
- 26.Have you been ever disqualified or levied penalty by the Bank in past for non -fulfillment of the contractual obligations. If yes, please provide details in brief.:
- 27. Have you been ever been put on a holiday list or banned by any Public Sector Units? If yes please provide details in brief:

I/We confirm that to the best of our knowledge this information is authentic and accept that any deliberate concealment will amount to disqualification at any stage. Date:

Place:

Seal and Signature of the Bidder/s.

NOTICE INVITING TENDER

Bank of Baroda invites tenders from contractors for the Proposed Interior, Electrical Works in Bank of Baroda **Branch** at **Jaitaran**.

Sealed tender on item rate basis duly filled in this tender copy is invited from contractors for furnishing work of Bank of Baroda, branch **at Jaitaran**

Time of Completion 30 Days.	
Tender collection Tender copies will be available at Bank's Website ba 19-02-2025 to 11-03-2025(by 3:00 PM).	nkofbaroda.com from
Time date and mode of	
Submission of tender Before 3.00 PM. on or before 11-03-2025 at the 0 Dy. General Manager, Bank of Baroda, Jodhpur Regional Office, 10, 2nd Floor, Near Radha Krishna Temple, Pal Link Road, Jodhpur - 342008.	Office of

Tender shall be submitted duly filled in two bid systems and in the following manner only:

Envelope No.1 (Volume-1, EMD):

1. Volume-I (Pre-Qualification Criteria & Technical bid)

	Favoring	Amount (Rs.)	DD/ Banker's Cheque payable at
EMD	Bank of Baroda	35,600	Jodhpur

* Other supporting documents & credentials of the tenderer.

Additional Techno-commercial information, deviation, etc.

Envelope No.1 must not contain **price bid** or else the Bank will disqualify the tender without any further scrutiny.

Envelope no. 2 (Price Bid):

1. Volume - ii (Price Bid)

Price bid received in any form other than format attached in the tender will be disqualified.

All the Two envelopes are to have clear heading on them As Technical BID and PRICE BID and sealed properly.

One large envelope bearing on it the name of Work Proposed Refurbishment of Bank of Baroda Branch at **DHORIMANA**. And containing above two envelopes shall be submitted to Dy. General Manager ,Bank of Baroda, Jodhpur Regional Office,10, 2nd Floor, Near Radha Krishna Temple,Pal Link Road, Jodhpur - 342008.

Time, Date of opening of Tender : On 11-03-2025 at 3:30 P.M

The bank will not be bound to accept the lowest tender and reserves the right to accept or reject any or all the tenders without assigning any reason whatsoever.

Sd/-. Dy. General Manage, Bank of Baroda, Regional Office, JODHPUR .

Date: 18-02-2025

Page **4**

MEMORANDUM

a)	Tender Document	Interior, Furnishing & AC Works of JAITARAN BRANCH
b)	Date of issue in Website	From 19.02.2025 to date of submission
c)	Last date of Submission of Tender	11.03.2025 up to 3.00 p.m.
d)	Place of Submission of Tender & Opening of tender	The Office of Deputy General Manager, Bank of Baroda, Jodhpur Regional Office 2nd floor, 10, Near Radha Krishna Temple, Pal link road, Jodhpur – 342008.
e)	Opening of technical bid By	11.03.2025 at 3.30 p.m.
f)	Time of Completion of the Project	30 Days from the 7th day of award of work.
g)	Liquidated damages for non Completion of work in time	1.0% of the contract value per week subject to a max of 10% of the contract value.
i)	Earnest money deposit	Rs. 35,600/- (Rs. Thirty-five thousand Six hundred rupees only) D. D. only in favor of BANK OF BARODA payable at Jodhpur (D.D. will be attached in technical bid only).
j)	Initial security deposit	2% of the accepted value of tender (including earnest money) to be paid to the Bank within 7 days of the Intimation ofacceptance of tender.
k)	Retention money	10% of total amount (Including initial security deposit to be deducted from running bills if any)
l)	Date of Commencement	Either one week from the date of Acceptance letter or the day on which contractor is instructed to take possession of the site, whichever is later.
m)	Refund of total security	The initial security deposit comprising of EMD shall be refunded to the contractor along with accrued interest upon issue of certificate of virtual completion by the Architect.
n)	Release of Retention money	 a) 50% of the retention money will be released on completion of work and issue of virtual completion certificate by the Architect b) Balance 14 days after the end of defects liability period
0)	Minimum period of Submitting Interim bills	75% of work
p)	Minimum value of work For interim certificates	25 days
q)	Defects liability period	12 (twelve) months from date of completion

INSTRUCTIONS TO TENDERERS:

1.0 Location:

1.1 The site is located at JAITARAN BRANCH.

- 1.2 Tenderers must get acquainted with the proposed work and study drawings, designs, specifications, conditions of contract and other conditions carefully before tendering. The Tenderer shall seek clarifications on any item, if required, prior to submitting his tender. No request of any change in rates or conditions for want of information on any particular point shall be entertained after receipt of the tenders.
- 1.3 The Tenderer is advised to inspect the site to ascertain the nature of site, access thereto, location, facilities for procurement of materials, labour rates and execution of the work. The Tenderer shall be deemed to have full knowledge of the site and drawings whether or not he actually inspects them.

2.0 Submission of Tender:

Sealed Tender along with price bid shall be dropped in the tender box kept at The Office of Regional Manager, Bank of Baroda, JODHPUR Regional Office, 10, 2nd Floor, Near Radha Krishna Temple, Pal LinkRoad, Jodhpur-342008.

and as per details given here under. The rates shall be filled in the Schedule given in, of the tender document.

In case of any queries, the Tenderer may contact following:

Bank of Baroda	:	PREMISES SECTION, Jodhpur 8194823666
Architect	:	Ar. Rekha Nemani, C-40, Dev Nagar, Tonk road, Jaipur 7976969922, 9829012022

- 2.1 The tender shall be submitted in two bid in as sealed envelope. The envelope containing the tender offer shall be duly super scribed with the name of work
- 2.2 The Tenderer is requested to quote strictly as per the terms and conditions and specifications given in the tender document and not to stipulate any deviations. However, deviations, if unavoidable, should be indicated separately indicating the specific page number and clause number against which the deviations are made. Wherever specifications of certain works are not available they shall be deemed to be done as per relevant I.S code.
- 2.3 Addenda to this tender document, if issued, must be signed and submitted along with the tender document.
- 2.4 All pages to be initialed:

All signatures in tender documents shall be dated and stamped. All pages of tender documents shall be initialed at the lower right-hand corner or signed wherever

required in the tender papers by the Tenderer or by a person holding power of attorney authorizing him to sign on behalf of the Tenderer before submission of tender.

2.5 Rates to be in figures and words:

The Tenderer should quote in English both in figures as well as in words the rates and amounts tendered by him in the Schedule of Rates for each item and in such a way that interpolation is not possible. The amount for each item should be worked out and entered and requisite totals given of all items both in figures and in words. The tendered amount for the work shall be entered in the tender and duly signed by the Tenderer.

2.6 Corrections and Erasures

No corrections and alterations in the entries of tender papers shall be permitted. If any they shall be signed and dated in full by the Tenderer. Corrections with white fluid and overwriting are not permitted.

- 2.7 The tender shall contain the names, postal address of the residence and place of business of authorized person signing the tender and shall be signed in /his usual signature. Partnership firms shall furnish the full names of all Partners in the tender. It should be signed in the partnership name by all the partners or by duly authorized representative followed by the name and designation of the person signing. Tender by a Corporation shall be signed by an authorized representative, and a power of Attorney on their behalf shall accompany the tender. A copy of the partnership deed of the firm with names of all partners shall be furnished.
- 2.8 When a Tenderer signs a tender in a language other than English, the total amount tendered should, in addition, be written in the same language. The signatures should be attested by at least one witness.
- 2.9 Witness:

Witnesses and sureties shall be persons of status and propriety and their names, occupation and address shall be stated below their signatures.

3.0 Information required along with tender:

The following details are required to be submitted along with tender:

- a) List of Sub contractors to be employed.
- b) List of equipment proposed to be deployed for work.
- c) Site Organization chart with bio-data of Resident Engineer and key personnel proposed to be deployed at site.
- d) Income Tax Clearance and Sales Tax clearance certificates.
- e) Power of Attorney in the name of persons who has signed the tender document.

f) BAR/PERT Chart.

- g) Each Tenderer shall submit with his tender a list of large works of like nature he has executed giving details as to their magnitude and cost, the proportion of work done by the contractor in it and the time within which the works were completed. The Tenderer shall also submit along with his tender a list mentioning the names of manufacturers of specialized items.
- 4.0 Any printing or typographical errors/omission in tender document shall be referred to the Architect/Interior Designers appointed by the Bank and their interpretation regarding correction shall be final and binding on Contractor.

5.0 Transfer of Tender Documents:

Transfer of tender documents purchased by one intending Tenderer to another is not permitted.

6.0 Earnest money:

- 6.1 The Tenderer shall pay the amount of Earnest Money as mentioned in the Notice Inviting Tender, by Bank Demand Draft/Banker's Cheque payable to Bank of Baroda, at Jodhpur. No interest on Earnest Money deposited by the Tenderer shall be allowed. The Tenderer should attach the bank draft/banker's Cheque along with the tender failing which the tender will not be considered.
- 6.2 The Earnest Money of the unsuccessful Tenderers will be refunded in form of same DD Submitted by them within a reasonable period of time without any interest.
- 6.3 The Earnest Money deposited by the successful Tenderer shall be retained as part of Security Deposit.
- 6.3.1 The Security Deposit shall be forfeited if the Contractor fails to observe any terms and conditions of the Contract.

7.0 Validity:

Tenders submitted by Tenderers shall remain valid for acceptance for a period up to 90 days from the date of opening of tender. The Tenderers shall notbe entitled during the period of validity, without the consent in writing of Bank torevoke or cancel his tender or to vary the tender given or any terms thereof.

8.0 Addenda:

- 8.1 Addenda to the tender document may be issued if required to clarify documents or to reflect modifications to the design or contract terms.
- 8.2 Each addendum issued by the Architect/Interior Designer will be distributed to each person or organization to which a set of tender documents has been issued. Each recipient will submit the same along with his tender. All addenda issued by the Architect/Interior Designer shall become part of Tender Documents.

9.0 Right to accept or reject tender:

- 9.1 The acceptance of a tender will rest with the Bank who does not bind themselves to accept lowest tender and reserve to themselves the authority to reject any or all the tenders received without assigning any reasons. They also reserve the right of accepting the whole or any part of the tender and the Tenderers shall be bound to perform the same at the rates quoted. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect or there is any correction not duly signed and dated by the Tenderer are liable to be rejected. For this purpose Tenderer shall quote rates for various items which will be self sufficient to meet their whole costs for executing any / very item. No demand for variations in rates for items executed shall be entertained on the plea of the Bank deciding to delete, alter or reduce the quantities specified in respect of the any item.
- 9.2 The work may be awarded to one or more agencies duly splitting the work at the entire discretion of the Bank and the Architect/Interior Designer. The quoted rates shall hold good for such an eventuality.

10.0 Rates:

- 10.1 The Bank is not concerned with any rise or fall in the prices of materials and labor. The rates quoted shall include all costs, allowances or any other charges including any enhanced labour rates etc. which may become effective for any reason including those due to acts of Government/ Statutory Bodies enacted from time to time by the State and or the Central Government. Under no circumstances, shall the Bank be held responsible for compensation or loss to the contractor due to any increase in the cost of labour or materials etc. **G.S.T. WILL PAID EXTRA BY BANK**
- 10.2.1 The rate quoted in the tender shall also include electric and water consumption charges for construction and erection. If power and water are available at the site, the Contractor shall have to make his own arrangements to obtain the connections from the available sources at his own expense and maintain an efficient service of electric light and power and water and shall pay for the services consumed and maintain the installations at his own cost. If no power and water are available at the site, the Contractor shall have to make his own arrangements to obtain power and water connections and maintain at his own expense an efficient service of electric light and power and shall pay for the electricity consumed.
- 10.3 The rate quoted in the tender by the contractor should include cost of -3- sets of 10" x 12" Photographs done by a reputed professional photographer, of the completed work.

10.4 Contractor to include cost of pest control treatment of the entire site, including white ants, Roaches, rodents for one year from date of virtual completion of the contract.

11.0 Contractor to coordinate and assist the Architect/Interior Designer in obtaining all Statutory approvals including MMC, CFO and any other State and Central rules in force. Any expenses incurred in obtaining such approvals are deemed included in the rates quoted by the Contractors.

- 12.0 The entire interior work shall be guaranteed to be free from manufacturing defects, defective workmanship or materials and any defects that may appear within 12 months from the date of issue of completion certificate which in the opinion of the Bank/Consultants have arisen from bad manufacturing, workmanship or materials, shall upon intimation be made good by the Contractor at his own cost within the time specified. During the said period of 12 months the Contractor shall without any extra cost, carry out all routine and special maintenance of the Interior and attend to difficulties and defects that may arise. The Tenderer / Contractors shall associate with him during the execution and free service period, the operation and maintenance staff of the Bank.
- 13.0 Payments for the work to be executed under this contract shall be made as per the tender Document and no variation in the mode of payment will be acceptable. The Tenderer shall guarantee that the work shall conform to the detailed specifications.
 - 14.0 Signing of the contract:
 - a. The successful Tenderer shall be required to execute an agreement in the proforma attached with this tender document within 45 days from the date of receipt of the notice of acceptance of tender. In the event of failure on the part of the successful Tenderer to sign the agreement within the above-stipulated period. The Bank reserves the right to forfeit the earnest money/ security deposit and cancel the contract.
 - b. Until the Agreement is formally signed, the Work Order / Letter of Acceptance of Tender issued to the successful Tendered and accepted by him shall be operative and binding on the Bank and the Contractor.
- 15.0 On acceptance of the tender, the name of the accredited representatives of the Tenderer who would be responsible for taking instructions from the Bank shall be mentioned by the Tenderer.
- 16.0 If so decided, the Bank reserves the right to appoint PMC (Project Management Consultant) or any other agency to get the quality of works checked, measurements recorded, including certification of bills etc.
- 17.0 The Bank reserves the right to reproduce partly or fully the items executed on site anywhere in the country premises and no copyright claims shall be made by any contractor of any description from the Bank.
- 18.0 The Bank has the right to delete items, reduce or increase the scope of work without the contractor claiming any compensation for the reduction in the scope of work.
- 19.0 Notices to local bodies:

The contractor shall comply with and give all notices required under any law, rule, regulations or bye laws of parliament, state legislature or local authority relating to works. the contractor shall before commencing the execution of work issue a certificate to the bank / architect / consultant that he has obtained all the permission registrations and give all the notices as are required to be obtained or give in under law.

20.0 I / We hereby declare that I / We have read and understood the above instructions for the guidance of the Tenderers.

Witness		
	 Signature of Tenderer	
Address	 Address	
Date :	 Date:	

LIST OF APPROVED MANUFACTURERS FOR DIFFERENT MATERIALS TO BE USED IN THIS PROJECT

Names of materials and finished approved by the Architect /Employer are listed below: However equivalent materials and finished of any other specialized firms may be used, in case it is established that the brands specified below are not available in the market are subject to the approval of the alternative brand by the Architect. Original materials will be delivered on site, no substitute will be allowed.

INTERIOR MATERIAL

S. NO.	ITEM	DESCRIPTION	
1.	MDF / PLYWOOD/ BLOCK BOARD,	CENTURY/ ARCHID/ GREENPLY / KITPLY OR EQUIVALENT	
2.	LAMINATE SHEET	Archidlam / Greenlam /Merino / Aica/SUNMICA	
3.	VENEER	Green / DURO / Century / Timex / Anchor or equivalent	
4.	PARTICLE BOARD	Archidply /Greenlam/Century / KITPLY equivalent	
5.	ACRYLIC SHEET	ICI, GE or equivalent ISI make	
6.	MARINE GRADE PLYWOOD	Century, Kitply, Greenply, Anchor, Orchid, Prince	
7.	ADHESIVE	Fevicol / Aratdite/Jeevanjod or equivalent	
8.	SOLID SURFACES {CURION}	DUPOINT/HI-MAC/ STARON OR equivalent	
9.	MARINE GRADE BLOCK BOARD	Century, Kitply, Greenply, Anchor, Orchid or equivalent	
10.	FLUSH DOORS	CENTURY/ KITPLY / GREENPLY / ANCHOR/ ORCHID OR EQU.	
11.	POLISH	ASIAN /DULEX OR EQU.	
12.	LATEX	MM Foam or equivalent lst make	
13	HIGH DENSITY FOAM	U Foam or equivalent ISI make	
14	LOCKS,	Godrej / Haffle / Hettich / Ebco or equivalent	
15.	STORAGE HARDWARE	Godrej / Haffle / Hettich / Ebco or equivalent	
16	SCREWS, NAILS & OTHER ACCESSORIES	GKW / Nettle ford or equivalent	
17	FALSE FLOORING	Kebao , Armstrong , AMF or equivalent	
18	VINYL FLOORING	Armstrong ,gerftor, Eurotex ,	
19	CARPET	Unitex, Armstrong	
20	WOODEN LAMINTED FLOORING	Pergo / Armstrong / Euro / Squarefeet or equivalent	
22	HARDWARE FOR GENERAL STAFF AREAS	Dorma / Euro/ Ozone / Enox / Ebco /Hamco or equivalent	
23	HARDWARE FOR MAIN GLOSS DOOR	Dorma / Euro/ Ozone / Enox / Ebco /Hamco or equivalent	
24	DOOR CLOSERS	Dorma / Euro/ Ozone / Enox / Ebco /Hamco or equivalent	

25	FLOOR SPRINGS	Dorma / Euro/ Ozone / Enox Ebco /Hamco or equivalent
26	FLOOR SPRINGS FOR MAIN GLASS DOORS	Dorma / Euro/ Ozone / Enox / Ebco /Hamco or equivalent
27	ALUMINIUM SECTIONS FOR PARTITIONS	JINDAL / TATA STEEL OR EQU.
28	FALSE CEILING: GYPSUM	India Gypsum / Saint Gobin / Asia
29	FALSE CEILING: GRID{ AS APPROVED}	Armstrong / AMF or equivalent
30	FALSE CEILING: GRID{ METAL CEILING}	Unimech / AMF / Armstrong /
31	GI SECTIONS	Lndta Gypsum / Saint Gobin / Jinda\ or equivalent
32	ACOUSTICAL FALSE CEILING: MINERAL FIBER BOARD	Armstrong, Hunter Douglas / Peritex or equivalent
33	POP PUNNING	GYPROCK / INDIAN GYPSUM / BIRLA
34	PAINT	ASIAN / NEROLAC / DULEX / BERGER OR EQU.
35	EXTERIOR PAINT	ASIAN / NEROLAC / DULEX / BERGER OR EQU.
36	A.C.P. (INTERIOR & EXTERIOR)	Alstone / Eurobond / Alucobond
37	CYLICON	G E/ Dow coming / Wacer
38	ROLLING / VERTICAL BLINDS	Vista / Perltex / WInfab / Mac or equivalent
39	FROSTED FILM	Garware or equivaient
40	ALUMINIUM SKIRTING- 50MM	Jindal or equivalent
41	WATER PROOFING	Pidillte or equivalent
42	HARDWOOD	Salwood / Teakwood /kapoor
43	AUTOMATED ROLLING SHUTTER	Gandhi automation / Toshi automatic systems /akash rolling shutter
44	GLASS	Saint Gobln / equivalent

PLUMBING MATERIAL

1	CP FITTING	Jaquar/Hindware or equivalent
2	SANITARY WARE	Hindware / Cera / Parrywar or equivalent
3	SANITARY FITTINGS	Jaquar/Hindware
4	GEYSER	Bajaj / Sphere Hot/ Crompton /racold vguard/ havells
5	STAINLESS STEEL SINK	Nirali / Diamond or equivalent
6	C.I. PIPE	Bengal Iron Corporation or equivalent ISI make
7	URINAL PARTITION GLASS	Merino / Saint Gobain/ Modi/ Asai
8	GI PIPE	Tata/ Jindal / Zenith or equivalent
9	CP FITTING	Pince /Astral or equivalent
10	PVC & CPVC PIPE	Pince /astrai or equivalent

CIVIL MATERIAL

	1	Ceramic Tiles / Vitrified Homogenous Glazed Tiles	HR Johnson, Kajaria. Nitco, ASL or equivalent
ſ	2	Cement	Ultratech , ACC, JK Cement , Ambuja
I	3	Chemical Fasting {Tiles}	Pidlite, Fosroc, Eurokart

4 Steel Sail, Tisscon, Ispat	,Tata

ELECTRICAL MATERIAL

S. NO.	ITEM	DESCRIPTION
1.	Light Fixtures & Lamp	Philips / Wipro / Osram / Havells / Crompton g./halonix
2.	Ht Cable	Polycab/ Havells/KEI
3.	Modular Switches	ABB, Legrand, /MK/ ANCHOR/ North west/ ROMA
4.	Dlp Trunking	Legrand /Schneider
5.	Power Cable	CCI/SKYTONE/UNIVERSAL
6.	End Termination	RYCHEM/ MAHINDRA/ ELMEX
7.	Panel	CROMPTON/L&T/C&S
8.	Fan	CROMPTON/ HAVELLS/ BAJAJ/ USHA
9	Raceway & Alu. Trunking	TATA./ JINDAL/ ZENITH
10.	Casing & Caping	FINOLEX /CAP or Equivalent
11.	Weather Proof Socket Outlet With MCB	ABB/ MDS/ LEXIXC/ Neptune/ Elcon- Clipsil, Siemens, Schneider {Merin Gerin}
12.	Miniature Circuit Breaker	MDS/LEXIS/ siemens/ HPL
13.	MCB distribution board in steel housing{ double door}	ABB / LEXIS/ siemens/ HPL
	DISTRIBUTION	
14.	MV Contractor/ Timer/ Relays/Starters	Legrand /Schneider{MG}/ ABB/ Siemens/ L&T
15.	Moulded Case Circuit Breakers	Legrand /Schneider{MG}/ ABB/ Siemens/ L&T
16.	SFU / FUSES	HPL /Schneider{MG}/ ABB/ Siemens/ L&T Siemens
17.	ACB	Schneider{MG}/ ABB / Siemens/ L&T
18.	Single Phase Preventer {Current Base}	L&T , Minilec
19.	Raising Mains & Tap Off {Power Coated}	Zeta, C&S, Siemens
20.	MV Switch Boards {Powder Coated}	Tricolite Electrical Industries, conlec Engineers Pvt. Ltd, Vidyut Control Pvt Ltd., Trinitron Milestone Switchgear, Unilec Ltd, Madhu E\ectrica\ Advance Electro Control Pvt Ltd.
	LOW TENSION SYSTEM	
21.	Light & Fan Wire	Polycab, Finolex, Hawells
22.	Telephone Wire	Delton, Skyline, Finolex, Rallison, Batra Henley
23.	Telephone Tag Blocks	Krone / Pouyet/ TVS
	Cable & Accessories	
24.	1100 volts grade cables	CCI, Universal, Fort Gloster, Polycab, RPG {Asian), Nicco
25.	Cable lugs	Dowells
26.	Cable compression glands	Peeco/ Comet
27.	Capacitor Bank ISI MARK	GE POWER / BHEL/ EPCOS/ L&T
28.	Lighting Arrestor	Altas / Alstom/ GE Power
29	Protection & Other Relay	ABB/ Siemens/ Schneider/ L&T/ Allen Bradley
	Internal Wiring Related Works	
30.	MCB/ RCCS/ Isolators {ISI} MARKED MCB DB	L&T Siemens/ Schneider/ Legrand
31	PVC CONDUIT	CAP/ BEC/ Seiko/ AKG
32	PVC Insulated Copper Wire ISI Marked	SKYLINE/ FINOLEX/ POLYCAB/ HAVELLS
	ļ	L

33	TELEPHONE CABLE	SKYTONE/ DELTON/ NICCO/ POLYCAB/ FINOLEX
34	Switch, TV & Telephone Socket &	CPL/LEGRAND/ABB/ANCHOR
	Boxes {Modular Type}	
	MISCELLANEOUS ITEMS	
35	LIGHTING PROTECTION UNIT	Erico / Pheonix/ INDELEC
36	RELAYS	L&T/ ABB/ Siemens/ BCH
37	CONTRACTORS	I&T/ GE Power/ BCH/ Siemens/ ABB
38	CHANGEOVER SWITCH	C&S/ Havells/ L&T/ HPL
39	KWH, PF, FREQUENCY METER	BHEL/ AE/ Havells/ L&T/ ALSTOM
40	PUSH BUTTONS	L&T/ Siemens
41	TIMERS	L&T/ Legrand/ Schneider/Siemens/GE
42	TIMER SWITCH	L&T/ Legrand/ Schneider/Siemens/GE
	NETWORKING	
43	SWITCHES	Brocade/Cisco/ Digi-Llnk/ 3Com/ Nortel/ Foundry/ D- Link
44	PATCH PANEL, PATCH CORD & I/O	Digi-Link / TyCo(AMP) / Schneider/ D-Link
45	CABLE	Digi link/ Clipser/ National/ Polycab/ Lapp/ Finolex
46	RACKS	Comrack / HCL / Valrack / APW President
	MODULAR	
47	Extruded Aluminum Sections	Hindalco, Sant aluminum, Midi extrusions
48	Pre Laminted Particle Board	Action Tesa, Associate Décor, Asis, Century (interior grade -2
49	PVC Lipping	Rehau, Dolkin
50	Hinges/ Storage And Pedestal Locks/ Minifix Fittings / Sliding Channels Etc.	Ebco, hafele, Hettich or equivalent
50 51		Modi, Saint gobain, Asahi
51 52	Minifix Fittings / Sliding Channels Etc.	Modi, Saint gobain, Asahi Godrej, Enox, Doorset, Ultra, Ebco
51	Minifix Fittings / Sliding Channels Etc. 8 mm Glass Door Locks For Cashier Cabin Hydraulic Door Closer	Modi, Saint gobain, Asahi Godrej, Enox, Doorset, Ultra, Ebco Yele, Enox, Everite, Ebco
51 52 53 54	Minifix Fittings / Sliding Channels Etc.8 mm GlassDoor Locks For Cashier CabinHydraulic Door CloserPowder Coating	Modi, Saint gobain, Asahi Godrej, Enox, Doorset, Ultra, Ebco Yele, Enox, Everite, Ebco paramount, Narolac
51 52 53	Minifix Fittings / Sliding Channels Etc. 8 mm Glass Door Locks For Cashier Cabin Hydraulic Door Closer	Modi, Saint gobain, Asahi Godrej, Enox, Doorset, Ultra, Ebco Yele, Enox, Everite, Ebco

Date : Place :

[To be signed by the Authorized Representative of Tenderer holding Power of Attorney]